Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
R. L. Baldwin
M. S. Bretscher
C. R. Cantor
J. Davies
W. F. Dove
G. A. Gilbert
M. Gottesman
R. Huber
A. Klug
D. E. Koshland
S. Lowey
V. Luzzati
M. F. Moody
D. Nathans
C. C. Richardson
P. M. B. Walker
J. C. Wang
K. Weber
S. M. Weissman

VOLUME 111
25 March to 25 April 1977

ACADEMIC PRESS
London New York San Francisco

Copyright © 1977, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 111

NUMBER 1, 25 MARCH 1977

BECK, C. F. and HOWLETT, G. J., The Nature of the Miscoding Caused by Growth in the Presence of 2-Thiouracil 1

HOWLETT, G. J. and BECK, C. F., The Nature of the Altered Allosteric Behaviour of 2-Thiouracil Aspartate Transcarbamylase 19

FRIEDMAN, B. E., OLSON, J. S. and MATTHEWS, K. S., Interaction of *lac* Repressor with Inducer; Kinetics and Equilibrium Measurements . . 27

NAGAI, K., The Effect of Ferric Ligands on the Oxygen Affinity of the Ferrous Subunits in Valency Hybrid Haemoglobins 41

GOUGH, M., Establishment Mode Repressor Synthesis blunts Phage P22 Antirepressor Activity 55

DICKSON, R. C., ABELSON, J., JOHNSON, P., REZNIKOFF, W. S. and BARNES, W. M., Nucleotide Sequence Changes produced by Mutations in the *lac* Promoter of *Escherichia coli* 65

LETTERS TO THE EDITOR

SOMERVILLE, C. R. and AHMED, A., *rel*-dependent Methionine Requirement in Revertants of a Methionyl-transfer RNA Synthetase Mutant of *Escherichia coli* 77

OPPENHEIM, A., Suppression of a P_{rm} Mutant by the *sar* Mutation for the Synthesis of Repressor by Bacteriophage Lambda 83

NISHIKURA, K., Effect of Inositol Hexaphosphate on Haem Exchange in Aquomet, Fluoromet and Nitrosyl Haemoglobins 91

ERRATUM 95

NUMBER 2, 5 APRIL 1977

ENQUIST, L. W. and WEISBERG, R. A., A Genetic Analysis of the *att-int-xis* Region of Coliphage Lambda 97

MATSUBARA, I., KAMIYAMA, A. and SUGA, H., X-ray Diffraction Study of Contracting Heart Muscle 121

Weeds, A. G. and Pope, B., Studies on the Chymotryptic Digestion of Myosin. Effects of Divalent Cations on Proteolytic Susceptibility 129

Appendix: Correlation of Chymotryptic Fragments Identified by Polypeptide Chain Weight with Fragmentation Products Produced with Other Proteinases 152

Hayashi, T., Silver, R. B., Ip, W., Cayer, M. L. and Smith, D. S., Actin–Myosin Interaction. Self-assembly into a Bipolar "Contractile Unit". . 159

Chen, R., Brosius, J., Wittmann-Liebold, B. and Schäfer, W., Occurrence of Methylated Amino Acids as N-Termini of Proteins from *Escherichia coli* Ribosomes 173

Miller, J. B. and Koshland, D. E., Jr. Membrane Fluidity and Chemotaxis: Effects of Temperature and Membrane Lipid Composition on the Swimming Behaviour of *Salmonella typhimurium* and *Escherichia coli* 183

Letters to the Editor

Artymiuk, P. J., Blake, C. C. F. and Geary, P. J., Crystalline *cis*-Benzene Glycol Dehydrogenase from *Pseudomonas putida* 203

Baker, E. N. and Rumball, S. V., Crystallographic Data for Human Lactoferrin 207

David, M. M., Ar, A., Ben-Shaul, Y., Schejter, A. and Daniel, E., Subunit Structure of Hemoglobin from the Clam Shrimp *Cyzicus* . 211

Number 3, 15 April 1977

Branlant, C. and Ebel, J-P., Studies on the Primary Structure of *Escherichia coli* 23 S RNA. Nucleotide Sequence of the Ribonuclease T_1 Digestion Products Containing more than One Uridine Residue 215

Hecht, R. M., Stimpson, D. and Pettijohn, D., Sedimentation Properties of the Bacterial Chromosome as an Isolated Nucleoid and as an Unfolded DNA Fiber. Chromosomal DNA Folding Measured by Rotor Speed Effects 257

Levilliers, N., Péron-Renner, M. and Pudles, J., Role of Serine 195 in the Stabilization of β-Trypsin and β-Trypsin–Ligand Complexes . . . 279

Appendix: Levilliers, N. 301

Crawford, J. T. and Goldberg, E. B., The Effect of Baseplate Mutations on the Requirement for Tail-fiber Binding for Irreversible Adsorption of Bacteriophage T4 305

Jack, A., Ladner, J. E., Rhodes, D., Brown, R. S. and Klug, A., A Crystallographic Study of Metal-binding to Yeast Phenylalanine Transfer RNA . 315

Wehland, J., Herzog, W. and Weber, K., Interaction of Griseofulvin with Microtubules, Microtubule Protein and Tubulin 329

Brewin, N., Origin and Fate of the Small DNA Chains Synthesized in Bacteria after Thymine Deprivation 343

Brewin, N. and Cairns, J., State of the DNA Replication Fork during Thymine Deprivation of *Escherichia coli*, as observed by Pulse-labelling with [^{3}H]Thymidine 353

Letters to the Editor

Hackert, M. L., Abad-Zapatero, C., Stevens, S. E. Jr and Fox, J. L., Crystallization of C-Phycocyanin from the Marine Blue-Green Alga *Agmenellum quadruplicatum* 365

Lanzavecchia, G., Valvassori, R. and De Eguileor, M., Biopolarity in Thick Filaments of *Nematomorpha* 371

Number 4, 25 April 1977

Tattersall, P., Shatkin, A. J. and Ward, D. C., Sequence Homology Between the Structural Polypeptides of Minute Virus of Mice 375

Enea, V., Horiuchi, K., Turgeon, B. G. and Zinder, N. D., Physical Map of Defective Interfering Particles of Bacteriophage f1 395

Fehlhammer, H., Bode, W. and Huber, R., Crystal Structure of Bovine Trypsinogen at 1·8 Å Resolution. II. Crystallographic Refinement, Refined Crystal Structure and Comparison with Bovine Trypsin 415

Wright, C. S., The Crystal Structure of Wheat Germ Agglutinin at 2·2 Å Resolution 439

Paulson, J. R. and Laemmli, U. K., Morphogenetic Core of the Bacteriophage T4 Head. Structure of the Core in Polyheads 459

Sugimoto, K., Sugisaki, H., Okamoto, T. and Takanami, M., Studies on Bacteriophage fd DNA. IV. The Sequence of Messenger RNA for the Major Coat Protein Gene 487

Woodward, C. K., Dynamic Solvent Accessibility in the Soybean Trypsin Inhibitor–Trypsin Complex 509

Announcement 517

Index to Volume 111

Abad-Zapatero, C. (see also Hackert, M. L.), 365
Abelson, J. (see also Dickson, R. C.), 65
Actin-myosin interaction. Self-assembly into a bipolar "contractile unit", 159
Adsorption, irreversible, of bacteriophage T4 and the effect of baseplate mutations on the requirement for tail-fiber binding, 305
Agmenellum quadruplicatum, marine blue-green alga, crystallization of its C-phycocyanin, 365
Ahmed, A. (see also Somerville, C. R.), 77
Alga, blue-green, *Agmenellum quadruplicatum*, crystallization of its C-phycocyanin, 365
Allosteric behaviour, altered, of 2-thiouracil aspartate transcarbamylase, 19
Amino acids, methylated, occurrence as N-termini of proteins from *Escherichia coli* ribosomes, 173
Antirepressor activity of phage P22 blunted by establishment mode repressor synthesis, 55
Aquomet, fluoromet and nitrosyl haemoglobins, effect of inositol hexaphosphate on haem exchange, 91
Ar, A. (see also David, M. M.), 211
Artymiuk, P. J., Blake, C. C. F. & Geary, P. J., Crystalline *cis*-benzene glycol dehydrogenase from *Pseudomonas putida*, 203
Aspartate transcarbamylase, 2-thiouracil, nature of the altered allosteric behaviour, 19
att-int-xis region of coliphage lambda, a genetic analysis, 97

Bacterial chromosome, sedimentation properties as an isolated nucleoid and as an unfolded DNA fiber: chromosomal DNA folding measured by rotor speed effects, 257
Bacteriophage f1, physical map of defective interfering particles, 395
— fd DNA studies: the sequence of mRNA for the major coat protein gene, 487
— lambda, suppression of a P_{rm} mutant by the *sar* mutation for the synthesis of repressor, 83
— P22 antirepressor activity blunted by establishment mode repressor synthesis, 55
— T4, the effect of baseplate mutations on the requirement for tail-fiber binding for irreversible adsorption, 305
— — , morphogenetic core of the head; structure of the core in polyheads, 459
Baker, E. N. & Rumball, S. V., Crystallographic data for human lactoferrin, 207
Barnes, W. M. (see also Dickson, R. C.), 65
Baseplate mutations, effect on the requirement for tail-fiber binding for irreversible adsorption of bacteriophage T4, 305
Beck, C. F. & Howlett, G. J., The nature of the miscoding caused by growth in the presence of 2-thiouracil, 1
— (see also Howlett, G. J.), 19
Ben-Shaul, Y. (see also David, M. M.), 211
cis-Benzene glycol dehydrogenase, crystalline, from *Pseudomonas putida*, 203
Bipolarity in thick filaments of *Nematomorpha*, 371
Blake, C. C. F (see also Artymiuk, P. J.), 203
Blue-green alga *Agmenellum quadruplicatum*, crystallization of its C-phycocyanin, 365
Bode, W. (see also Fehlhammer, H.), 415
Bovine trypsinogen, crystal structure at 1·8 Å resolution: crystallographic refinement, refined crystal structure and comparison with bovine tryspin, 415
Branlant, C. & Ebel, J.P., Studies on the primary structure of *Escherichia coli* 23 S RNA. Nucleotide sequence of the ribonuclease T_1 digestion products containing more than one uridine residue, 215
Brewin, N., Origin and fate of the small DNA chains synthesized in bacteria after thymine deprivation, 343
— & Cairns, J., State of the DNA replication fork during thymine deprivation of *Escherichia coli*, as observed by pulse-labelling with [^{3}H]thymidine, 353
Brosius, J. (see also Chen, R.), 173
Brown, R. S. (see also Jack, A.), 315

Cairns, J. (see also Brewin, N.), 353
Cations, divalent, effects on proteolytic susceptibility of chymotryptic digestion of myosin, 129

Cayer, M. L. (see also Hayashi, T.), 159
Chains, small, of DNA synthesized in bacteria after thymine deprivation, their origin and fate, 343
Chemotaxis and membrane fluidity: effects of temperature and membrane lipid composition on the swimming behaviour of *Salmonella typhimurium* and *Escherichia coli*, 183
Chen, R., Brosius, J., Wittmann-Liebold, B. & Schäfer, W., Occurrence of methylated amino acids as N-termini of proteins from *Escherichia coli* ribosomes, 173
Chromosome, bacterial, sedimentation properties as an isolated nucleoid and as an unfolded DNA fiber: chromosomal DNA folding measured by rotor speed effects, 257
Chymotryptic digestion of myosin: effects of divalent cations on proteolytic susceptibility, 129
— fragments identified by polypeptide chain weight, correlation with fragmentation products produced with other proteinases, 152
Clam shrimp *Cyzicus*, subunit structure of hemoglobin, 211
Coat protein, major, sequence of mRNA for gene; studies on bacteriophage fd DNA, 487
Coliphage lambda, a genetic analysis of the *att-int-xis* region, 97
"Contractile unit", bipolar, formed by actin-myosin self-assembly, 159
Core structure in T4 polyheads, 461
Crawford, J. T. & Goldberg, E. B., The effect of baseplate mutations on the requirements for tail-fiber binding for irreversible adsorption of bacteriophage T4, 305
Crystal structute of bovine trypsinogen at 1·8 Å resolution: crystallographic refinement, refined crystal structure and comparison with bovine trypsin, 415
— — — wheat germ agglutinin at 2·2 Å resolution, 439
Crystalline *cis*-benzene glycol dehydrogenase from *Pseudomonas putida*, 203
Crystallization of C-phycocyanin from the marine blue-green alga *Agmenellum quadruplicatum*, 365
Crystallographic data for human lactoferrin, 207
— study of metal-binding to yeast phenylalanine tRNA, 315
Cyzicus clam shrimp, subunit structure of hemoglobin, 211

Daniel, E. (see also David, M. M.), 211
David, M. M., Ar, A., Ben-shaul, Y., Schejter, A. & Daniel, E., Subunit structure of hemoglobin from the clam shrimp *Cyzicus*, 211
De Eguileor, M. (see also Lanzavecchia, G.), 371
Defective interfering particles of bacteriophage f1, physical map, 395
Dehydrogenase for *cis*-benzene glycol, crystalline, from *Pseudomonas putida*, 203
DNA chains, small, synthesized in bacteria after thymine deprivation, their origin and fate, 343
—, chromosomal, measurement of folding by rotor speed effects; sedimentation properties of the bacterial chromosome as an isolated nucleoid and as an unfolded DNA fiber, 257
— replication fork, state during thymine deprivation of *Escherichia coli*, as observed by pulse-labelling with [^{3}H]thymidine, 353
— studies on bacteriophage fd: the sequence of mRNA for the major coat protein gene, 487
Dickson, R. C., Abelson, J., Johnson, P., Reznikoff, W. S. & Barnes, W. M., Nucleotide sequence changes produced by mutations in the *lac* promoter of *Escherichia coli*, 65

Ebel, J-P. (see also Branlant, C.), 215
Enea, V., Horiuchi, K., Turgeon, B. G. & Zinder, N. D., Physical map of defective interfering particles of bacteriophage f1, 395
Enquist, L. W. & Weisberg, R. A., A genetic analysis of the *att-int-xis* region of coliphage lambda, 97
Escherichia coli, nucleotide sequence changes produced by mutations in the *lac* promoter, 65
— —, *rel*-dependent methionine requirement in revertants of a methionyl-tRNA synthetase mutant, 77
— — ribosomal proteins, occurrence of methylated amino acids as N-termini, 173
— — 23 S RNA primary structure: nucleotide sequence of the ribonuclease T_1 digestion products containing more than one uridine residue, 215
— — and *Salmonella typhimurium*, effects of temperature and membrane lipid composition on their swimming behavior; membrane fluidity and chemotaxis, 183
— —, state of the DNA replication fork during thymine deprivation, as observed by pulse-labelling with [^{3}H]thymidine, 353
Establishment mode repressor synthesis blunts phage P22 antirepressor activity, 55

f1 (see also Bacteriophage), 395
fd (see also Bacteriophage), 487

Fehlammer, H., Bode, W. & Huber, R., Crystal structure of bovine trypsinogen at 1·8 Å resolution. II. Crystallographic refinement, refined crystal structure and comparison with bovine trypsin, 415
Ferric ligands, their effect on the oxygen affinity of the ferrous subunits in valency hybrid haemoglobins, 41
Ferrous subunits in valency hybrid haemoglobins, the effect of ferric ligands on their oxygen affinity, 41
Filaments, thick, of *Nematomorpha*, their bipolarity, 371
Fluoromet, aquomet and nitrosyl haemoglobins, effect of inositol hexaphosphate on haem exchange, 91
Folding of chromosomal DNA measured by rotor speed effects: sedimentation properties of the bacterial chromosome as an isolated nucleoid and as an unfolded DNA fiber, 257
Fox, J. L. (see also Hackert, M. L.), 365
Friedman, B. E., Olson, J. S. & Matthews, K. S., Interaction of *lac* repressor with inducer; kinetics and equilibrium measurements, 27

Geary, P. J. (see also Artymiuk, P. J.), 203
Genetic analysis of the *att-int-xis* region of coliphage lambda, 97
Goldberg, E. B. (see also Crawford, J. T.), 305
Gough, M., Establishment mode repressor synthesis blunts phage P22 antirepressor activity, 55
Griseofulvin, interaction with microtubules, microtubule protein and tubulin, 329

Hackert, M. L., Abad-Zapatero, C., Stevens, S. E. Jr. & Fox, J. L., Crystallization of C-phycocyanin from the marine blue-green alga *Agmenellum quadruplicatum*, 365
Haem exchange in aquomet, fluoromet and nitrosyl haemoglobins, effect of inositol hexaphosphate 91
Haemoglobin from the clam shrimp *Cyzicus*, subunit structure, 211
Haemoglobins, valency hybrids, the effect of ferric ligands on the oxygen affinity of the ferrous subunits, 41
Hayashi, T., Silver, R. B., Ip, W., Cayer, M. L. & Smith, D. S., Actin–myosin interaction. Self-assembly into a bipolar "contractile unit", 159
Head of bacteriophage T4, morphogenetic core; structure of the core in polyheads, 459
Heart muscle, contracting, X-ray diffraction study, 121
Hecht, R. M., Stimpson, D. & Pettijohn, D., Sedimentation properties of the bacterial chromosome as an isolated nucleoid and as an unfolded DNA fiber. Chromosomal DNA folding measured by rotor speed effects, 257
Herzog, W. (see also Wehland, J.), 329
Howlett, G. J. & Beck, C. F., The nature of the altered allosteric behaviour of 2-thiouracil aspartate transcarbamylase, 19
— (see also Beck, C. F.), 1
Horiuchi, K. (see also Enea, V.), 395
[^{3}H]thymidine pulse-labelling observations of the state of the DNA replication fork during thymine deprivation of *Escherichia coli*, 353
Huber, R. (see also Fehlhammer, H.), 415
Human lactoferrin, crystallographic data, 207
Hybrids, valency, of haemoglobins, the effect of ferric ligands on the oxygen affinity of the ferrous subunits, 41

Inositol hexaphosphate, effect on haem exchange in aquomet, fluoromet and nitrosyl haemoglobins, 91
Ip, W. (see also Hayashi, T.), 159

Jack, A., Ladner, J. E., Rhodes, D., Brown, R. S. & Klug, A., A crystallographic study of metal-binding to yeast phenylalanine tRNA, 315
Johnson, P. (see also Dickson, R. C.), 65

Kamiyama, A. (see also Matsubara, I.), 121
Klug, A. (see also Jack, A.), 315
Koshland, D. E., Jr (see also Miller, J. B.), 183

λ (see also Bacteriophage), 83
λ (see also Coliphage), 97
lac promoter of *Escherichia coli*, nucleotide sequence changes produced by mutations, 65
lac repressor, interaction with inducer; kinetic and equilibrium measurements, 27
Lactoferrin, human crystallographic data, 207
Ladner, J. E. (see also Jack, A.), 315
Laemmli, U. K. (see also Paulson, J. R.), 459
Lanzavecchia, G., Valvassori, R. & De Eguiloer, M., Biopolarity in thick filaments of *Nematomorpha*, 371
Levilliers, N., Péron-Renner, M. & Pudles, J., Role of serine 195 in the stabilization of β-trypsin and β-trypsin–ligand complexes, 279
Lipid composition and temperature, effects on the swimming behavior of *Salmonella typhimurium* and *Escherichia coli*; membrane fluidity and chemotaxis, 183

Map, physical, of defective interfering particles of bacteriophage f1, 395
Matsubara, I., Kamiyama, A. & Suga, H., X-ray diffraction study of contracting heart muscle, 121
Matthews, K. S. (see also Friedman, B. E.), 27
Membrane fluidity and chemotaxis: effects of temperature and membrane lipid composition on the swimming behavior of *Salmonella typhimurium* and *Escherichia coli*, 183
Messenger RNA, sequence for the major coat protein gene; studies on bacteriophage fd DNA, 487
Metal-binding to yeast phenylalanine tRNA, a crystallographic study, 315
Methionine requirement, *rel*-dependent, in revertants of a methionyl-tRNA synthetase mutant of *Escherichia coli*, 77
Methylated amino acids, occurrence as N-termini of proteins from *Escherichia coli* ribosomes, 173
Mice minute virus, sequence homology between the structural polypeptides, 375
Microtubules, microtubule protein and tubulin, interaction with griseofulvin, 329
Miller, J. B. & Koshland, D. E., Jr, Membrane fluidity and chemotaxis: effects of temperature and membrane lipid composition on the swimming behavior of *Salmonella typhimurium* and *Escherichia coli*, 183
Minute virus of mice, sequence homology between the structural polypeptides, 375
Miscoding caused by growth in the presence of 2-thiouracil, 1
Morphogenetic core of the bacteriophage T4 head. Structure of the core in polyheads, 459
Muscle of heart, contracting, X-ray diffraction study, 121
Mutant, methionyl-tRNA synthetase, of *Escherichia coli*, *rel*-dependent methionine requirement in revertants, 77
— P_{rm} suppression by the *sar* mutation for the synthesis of repressor by bacteriophage lambda, 83
Mutations, baseplate, effect on the requirement for tail-fiber binding for irreversible adsorption of bacteriophage T4, 305
— in the *lac* promoter of *Escherichia coli* produce nucleotide sequence changes, 65
Myosin, studies on chymotryptic digestion: effects of divalent cations on proteolytic susceptibility, 129
— –actin interaction. Self-assembly into a bipolar "contractile unit", 159

Nagai, K., The effect of ferric ligands on the oxygen affinity of the ferrous subunits in valency hybrid haemoglobins, 41
N-α-methylation in ribosomal proteins of *Escherichia coli*, 175
Nematomorpha, bipolarity in thick filaments, 371
Nishikura, K., Effect of inositol hexaphosphate on haem exchange in aquomet, fluoromet and nitrosyl haemoglobins, 91
Nitrosyl, aquomet and fluoromet haemoglobins, effect of inositol hexaphosphate on haem exchange 91
Nucleotide sequence changes produced by mutations in the *lac* promoter of *Escherichia coli*, 65
— — of the ribonuclease T_1 digestion products of *Escherichia coli* 23 S RNA containing more than one uridine residue, 215

Okamoto, T. (see also Sugimoto, K.), 487
Olson, J. S. (see also Friedman, B. E.), 27
Oppenheim, A., Suppression of a P_{rm} mutant by the *sar* mutation for the synthesis of repressor by bacteriophage lambda, 83
Oxygen affinity of the ferrous subunits in valency hybrid haemoglobins, the effect of ferric ligands, 41

P22 (see also Bacteriophage), 55
P_{rm} mutant suppression by the *sar* mutation for the synthesis of repressor by bacteriophage lambda, 83
Paulson, J. R. & Laemmli, U. K., Morphogenetic core of the bacteriophage T4 head. Structure of the core in polyhead, 459
Péron-Renner, M. (see also Levilliers, N.), 279
Pettijohn, D. (see also Hecht, R. M.), 257
Phenylalanine tRNA of yeast, a crystallographic study of metal-binding, 315
C-Phycocyanin from the marine blue-green alga *Agmenellum quadruplicatum*, crystallization, 365
Polyhead core structure for bacteriophage T4, 459
Polypeptides, structural, sequence homology for minute virus of mice, 375
Pope, B. (see also Weeds, A. G.), 129
Promotor, *lac*, of *Escherichia coli*, nucleotide sequence changes produced by mutations, 65
Protein, coat, major, the sequence of mRNA for the gene; studies on bacteriophage fd DNA, 487
Proteins from *Escherichia coli* ribosomes, occurrence of methylated amino acids as N-termini, 173
Proteolytic cleavage of myosin by chymotrypsin, effects of divalent cations, 129
Pseudomonas putida, crystalline *cis*-benzene glycol dehydrogenase, 203
Pudles, J. (see also Levilliers, N.), 279

rel-dependent methionine requirement in revertants of a methionyl-rRNA synthetase mutant of *Escherichai coli*, 77
Replication fork, DNA, state during thymine deprivation of *Escherichia coli*, as observed by pulse-labelling with [^{3}H]thymidine, 353
Repressor, *lac*, interaction with inducer; kinetic and equilibrium measurements, 27
Repressor synthesis, bacteriophage lambda, *sar* mutation suppresses a P_{rm} mutant, 83
— — establishment mode, blunts phage P22 antirepressor activity, 55
Reznikoff, W. S. (see also Dickson, R. C.), 65
Rhodes, D. (see also jack, A.), 315
Ribonuclease T_1 digestion products of *Escherichia coli* 23 S RNA containing more than one uridine residue, studies on the nucleotide sequences, 215
RNA, messenger, sequence for the major coat protein gene; studies on bacteriophage fd DNA, 487
—, 23 S of *Escherichia coli*, studies on the primary structure: nucleotide sequence of the ribonuclease T_1 digestion products containing more than one uridine residue, 215
—, transfer, yeast phenylalanine, a crystallographic study of metal-binding, 315
Ribosomal proteins of *Escherichia coli*, occurrence of methylated amino acids as N-termini, 173
Rumball, S. V. (see also Baker, E. N.), 207

Salmonella typhimurium and *Escherichia coli*, effects of temperature and membrane lipid composition on their swimming behavior; membrane fluidity and chemotaxis, 183
sar mutation for the synthesis of repressor by bacteriophage lambda, and its suppression of a P_{rm} mutant, 83
Schäfer, W. (see also Chen, R.), 173
Schejter, A. (see also David, M. M.), 211
Sedimentation properties of the bacterial chromosome as an isolated nucleoid and as an unfolded DNA fiber: chromosomal DNA folding measured by rotor speed effects, 257
Sequence homology between the structural polypeptides of minute virus of mice, 375
Sequence of mRNA for the major coat protein gene; studies on bacteriophage fd DNA, 487
Sequence of nucleotides, changes produced by mutations in the *lac* promoter of *Escherichia coli*, 65
Sequence of nucleotides of the ribonuclease T_1 digestion products of *Escherichia coli* 23 S RNA containing more than one uridine residue, 215
Serine 195, role in the stabilization of β-trypsin and β-trypsin–ligand complexes, 279
Shatkin, A. J. (see also Tattersall, P.), 375
Silver, R. B. (see also Hayashi, T.), 159
Smith, D. S. (see also Hayashi, T.), 159
Solvent accessibility, dynamic, in the soybean trypsin inhibitor–trypsin complex, 509
Sommerville, C. R. & Ahmed, A., *rel*-Dependent methionine requirement in revertants of a methionyl-rRNA synthetase mutant of *Escherichia coli*, 77
Soybean trypsin inhibitor–trypsin complex, dynamic solvent accessibility, 509
Stevens, S. E., Jr (see also Hackert, M. L.), 365
Stimpson, D. (see also Hecht, R. M.), 257

Structure of the core in bacteriophage T4 polyheads, 459
—, crystalline, of bovine trypsinogen at 1·8 Å resolution: crystallographic refinement, refined crystal structure and comparison with bovine trypsin, 415
— of wheat germ agglutinin at 2·2 Å resolution, 439
—, primary, of *Escherichia coli* 23 S RNA; nucleotide sequence of the ribonuclease T_1 digestion products containing more than one uridine residue, 215
—, subunit, of haemoglobin from the clam shrimp *Cyzicus*, 211
Suga, H. (see also Matsubara, I.), 121
Sugimoto, K., Sugisaki, H., Okomoto, T. & Takanami, M., Studies on bacteriophage fd DNA. IV. The sequence of mRNA for the major coat protein gene, 487
Sugisaki, H. (see also Sugimoto, K.), 487
Suppression of a P_{rm} mutant by the *sar* mutation for the synthesis of repressor by bacteriophage lambda, 83
Swimming behavior of *Salmonella typhimurium* and *Escherichia coli*, effects of temperature and membrane lipid composition; membrane fluidity and chemotaxis, 183
Synthesis of repressor in the establishment mode blunts phage P22 antirepressor activity, 55
T4 (see also Bacteriophage), 305, 459
Tail-fiber binding requirement for irreversible adsorption of bacteriophage T4, the effect of base-plate mutations, 305
Takanami, M. (see also Sugimoto, K.), 487
Tattersall, P., Shatkin, A. J. & Ward, D. C., Sequence homology between the structural polypeptides of minute virus of mice, 375
Temperature and membrane lipid composition, effects on the swimming behavior of *Salmonella typhimurium* and *Escherichia coli*; membrane fluidity and chemotaxis, 183
2-Thiouracil aspartate transcarbamylase, nature of the altered allosteric behaviour, 19
— induced miscoding, 1
Thymine deprivation of *Escherichia coli* and state of the DNA replication fork, as observed by pulse-labelling with [^{3}H] thymidine, 353
Thymine deprivation and the origin and fate of the small DNA chains synthesized in bacteria, 343
Transfer RNA, yeast phenylalanine, a crystallographic study of metal-binding, 315
Trypsin, dynamic solvent accessibility in complex with soybean trypsin inhibitor, 509
β-Trypsin and β-trypsin–ligand complexes, role of serine 195 in their stabilization, 279
Trypsinogen, bovine, crystal structure at 1·8 Å resolution: crystallographic refinement, refined crystal structure and comparison with bovine trypsin, 415
Tubulin, microtubules and microtubule protein, interaction with griseofulvin, 329
Turgeon, B. G. (see also Enaē, V.), 395

Valency hybrid haemoglobins, the effect of ferric ligands on the oxygen affinity of the ferrous subunits, 41
Valvassori, R. (see also Lanzavecchia, G.), 371
Virus, minute, in mice, sequence homology between the structural polypeptides, 375

Ward, D. C. (see also Tattersall, P.), 375
Weber, K. (see also Wehland, J.), 329
Weeds, A. G. & Pope, B., Studies of the chymotryptic digestion of myosin. Effects of divalent cations on proteolytic susceptibility, 129
Wehland, J., Herzog, W. & Weber, K., Interaction of griseofulvin with microtubules, microtubule protein and tubulin, 329
Weisberg, R. A. (see also Enquist, L. W.), 97
Wheat germ agglutinin, crystal structure at 2·2 Å resolution, 439
Wittmann-Liegold, B. (see also Chen, R.), 173
Woodward, C. K., Dynamic solvent accessibility in the soybean trypsin inhibitor–trypsin complex, 509
Wright, C. S., The crystal structure of wheat germ agglutinin at 2·2 Å resolution, 439

X-ray diffraction study of contracting heart muscle, 121

Yeast phenylalanine tRNA, a crystallographic study of metal-binding, 315

Zinder, N. D. (see also Enea, V.), 395